








REV.	ECN NO	LOCATIONS	DESCRIPTION	DATE	REVISED	APPD



材質: 青銅
 電鍍: Gold Flash

PART NO:		MATERIAL:		 長榮有限公司	
MODEL NO:		FINISH:			
UNIT: mm	SIZE:	COLOR:	PART NAME: 1.0 Crimp Terminal(Male)		
TOLERANCE UNSPECIFIED		DR: YuHong	DWG NO: PND12-DP		
.x	±0.3	CHK: Nick	SCALE: 6:1	REV: A1	
.xx	±0.20	APP: Kent	SHEET:		
.xxx	±0.100				
ANG.	±1°				

REV.	ECN NO	LOCATIONS	DESCRIPTION	DATE	REVISED	APPD



PART NO	A±0.25	B±0.20	C±0.20	D±0.20	E±0.30	F±0.10	G±0.25	H±0.05
PND12-09S	30.81	24.99	16.35	7.90	17.50	2.84	12.55	2.77
PND12-15S	39.25	33.32	24.51	7.90	17.50	2.84	12.55	2.77
PND12-25S	53.04	47.04	38.35	7.90	17.50	2.84	12.55	2.77
PND12-37S	69.32	63.50	54.84	7.90	17.50	2.84	12.55	2.77

PND12- XX S B -A

D-SUB CRIMP CONNECTOR

NO. OF CONTACT: 09, 15, 25, 37

CONTACT TYPE: S= FEMALE P=MALE

MOUNTING HOLE
A= A TYPE
B= B TYPE

INSULATION COLOR
B= BLACK




- Note:
- Material:
 - Insulator: High temperature thermoplastic with g.f,UL94v-0
 - Contact: Copper alloy,t=0.20mm
 - Shell: Spcc,t=0.30mm
 - Specification:
 - Current rating: 1 A Max.
 - Dielectric withstanding voltage: 750 V(ac) for 1 min.
 - Contact resistance: 30 mW Max.
 - Insulation resistance: 1000 MW Min.
 - Total mating force: 7.0 Kgf Max.
 - Total unmating force: 1.5 Kgf Min.
 - Temperature range: -55°C~85°C

8	Back-shell			
7	Front-shell			
6	Clip			No finish
5	Contact			Selective Au plated on mating area
4	Contact			
3	Contact			
2	Contact			
1	Housing			Black
No.	Name	Q'ty	Part No.	Finish


PART NO:		MATERIAL:		長榮有限公司	
MODEL NO:		FINSH:			
UNIT: mm	SIZE:	COLOR:		PART NAME: D-SUB CRIMP CONNECTOR (Female)	
TOLERANCE UNSPECIFIED		DR: YuHong		DWG NO: PND12-XXSB	
.x ±0.3	.xx ±0.20	CHK: Nick		REV: A02	
.xxx ±0.100	ANG. ±1°	APP: Kent		SCALE: 1:1	
				SHEET: 1 of 1	

Chang Enn Co., Ltd.

REV.	ECN NO	LOCATIONS	DESCRIPTION	DATE	REVISED	APPD



材質: 青銅
電鍍: Gold Flash

PART NO:		MATERIAL:		 長榮有限公司	
MODEL NO:		FINISH:			
UNIT: mm	SIZE:	COLOR:		PART NAME:	
TOLERANCE UNSPECIFIED		DR: <i>YuShong</i>		1.0 Crimp Terminal(Female)	
.x ±0.3	.xx ±0.20	CHK: <i>Nick</i>		DWG NO: PND12-DS	REV: A1
.xxx ±0.100	ANG. ±1°	APP: <i>Kent</i>		SCALE: 6:1	SHEET:

